

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1 – 19 (Withdrawn)

20-42 (Canceled)

43-52 (Withdrawn)

53. (Currently Amended) A decorative laminate assembly comprising, ~~in order in the following superimposed relationship:~~

(a) a decorative laminate top layer comprising, ~~in order in a superimposed relationship:~~

(i) a decorative layer comprising a thermosetting resin impregnated cellulosic material,

(ii) a core layer below said decorative layer comprising PETG polyethylene terephthalate glycol; and

(b) a substrate directly bonded to said decorative laminate top layer assembly.

54. (Original) The decorative laminate of claim 53, wherein said decorative laminate is a high pressure decorative laminate.

55. (Original) The decorative laminate of claim 53, wherein said decorative laminate is a low pressure decorative laminate.

56. (Original) The decorative laminate of claim 53, wherein said decorative laminate is continuous laminate.

57. (Currently Amended) The decorative laminate of claim 53, wherein said ~~PETG~~ polyethylene terephthalate glycol comprises at least one sheet of ~~PETG~~ polyethylene terephthalate glycol.
58. (Currently Amended) The decorative laminate of claim 53, wherein said core layer further comprises at least one layer of a woven or non-woven sheet formed from a material selected from the group consisting of glass, carbon ~~or~~ and polymeric fiber.
59. (Currently Amended) The decorative laminate of claim 58, wherein said at least one layer is sandwiched in between two ~~PETG~~ polyethylene terephthalate glycol sheets.
60. (Original) The decorative laminate of claim 53, wherein said decorative laminate further comprises an overlay layer on top of said decorative layer.
61. (Original) The decorative laminate of claim 60, wherein said overlay layer includes abrasive particles.
62. (Original) The decorative laminate assembly of claim 53, wherein said substrate is water resistant.
63. (Original) The decorative laminate assembly of claim 62, wherein said water resistant substrate comprises polyvinyl chloride.
64. (Original) The decorative laminate assembly of claim 62, wherein said water resistant substrate comprises fiber reinforced cement board.
65. (Currently Amended) A decorative laminate assembly comprising, ~~in order in the following superimposed relationship:~~

(a) a decorative laminate top layer comprising, ~~in order in a superimposed relationship~~:

(i) a wear resistant layer;

(ii) a decorative layer comprising a thermosetting resin impregnated cellulosic material; and

(iii) a core layer below said decorative layer comprising ~~PETG~~ polyethylene terephthalate glycol;

(b) a water resistant substrate, wherein said water resistant substrate is directly bonded to said core layer.

66. (Original) The decorative laminate of claim 65, wherein said decorative laminate is a high pressure decorative laminate.

67. (Original) The decorative laminate of claim 65, wherein said decorative laminate is a low pressure decorative laminate.

68. (Original) The decorative laminate of claim 65, wherein said decorative laminate is continuous laminate.

69. (Currently Amended) The decorative laminate of claim 65, wherein said ~~PETG~~ polyethylene terephthalate glycol comprises at least one sheet of ~~PETG~~ polyethylene terephthalate glycol.

70. (Original) The decorative laminate of claim 65, wherein said wear resistant layer is an overlay layer on top of said decorative layer, said overlay layer including abrasive particles.

71. (Original) The decorative laminate assembly of claim 65, wherein said water resistant substrate comprises polyvinyl chloride.

72. (Original) The decorative laminate assembly of claim 65, wherein said water resistant substrate comprises fiber reinforced cement board.

73. (Currently Amended) The decorative laminate of claim 65, wherein said core layer further comprises at least one layer of a woven or non-woven sheet formed from a material selected from the group consisting of glass, carbon ~~or~~ and polymeric fiber.

74. (Currently Amended) The decorative laminate assembly of claim 73, wherein said at least one layer is sandwiched in between two ~~PETG~~ polyethylene terephthalate glycol sheets.

75. (Withdrawn) A method for producing a decorative laminate comprising:

(a) assembling, ~~in order in the following superimposed relationship~~, a wear resistant layer, a decorative layer comprising a thermosetting resin impregnated cellulosic material, a core layer below said decorative layer, said core layer comprising ~~PETG~~ polyethylene terephthalate glycol, and a substrate; and

(b) subjecting said assembly to heat and pressure, thereby laminating said assembly.

76. (Withdrawn) The method of claim 75, wherein said wear resistant layer is an overlay layer, said overlay layer including abrasive particles.

77. (Withdrawn) The method of claim 75, wherein said ~~PETG~~ polyethylene terephthalate glycol is 0.020 inches thick.

78. (Withdrawn) The method of claim 75, wherein said pressure is between 400 and 600 psig.

79. (Withdrawn) The method of claim 78, wherein said temperature is between 125°C and 127°C.

80. (Withdrawn) The method of claim 79, wherein said heat and pressure is maintained for 25-30 minutes.
81. (Withdrawn) The method of claim 75, wherein said substrate comprises PVC.
82. (Withdrawn) The method of claim 75, wherein said substrate comprises fiber reinforced cement board.
83. (Withdrawn) The method of claim 75, wherein said ~~PETG~~ polyethylene terephthalate glycol comprises at least one sheet of ~~PETG~~ polyethylene terephthalate glycol.
84. (Currently Amended) A decorative laminate assembly comprising, ~~in order in the following superimposed relationship:~~
- (a) a decorative laminate top layer comprising, ~~in order in a superimposed relationship:~~
    - (i) a decorative layer comprising a thermosetting resin impregnated cellulosic material,
    - (ii) a core layer below said decorative layer comprising a polymeric material; and
  - (b) a substrate bonded to said decorative laminate top layer assembly.
85. (Original) The decorative laminate of claim 84, wherein said decorative laminate is a high pressure decorative laminate.
86. (Original) The decorative laminate of claim 84, wherein said decorative laminate is a low pressure decorative laminate.
87. (Original) The decorative laminate of claim 84, wherein said decorative laminate is continuous laminate.

88. (Currently Amended) The decorative laminate of claim 84, wherein said polymeric material comprises ~~PETG~~ polyethylene terephthalate glycol.
89. (Currently Amended) The decorative laminate of claim 84, wherein said polymeric material comprises ~~PCTG~~ polycyclohexanedimethyl terephthalate glycol.
90. (Original) The decorative laminate of claim 84, wherein said substrate is directly bonded to said top layer assembly.
91. (Original) The decorative laminate of claim 84, wherein said decorative laminate further comprises an overlay layer on top of said decorative layer.
92. (Original) The decorative laminate of claim 91, wherein said overlay layer includes abrasive particles.
93. (Original) The decorative laminate assembly of claim 84, wherein said substrate is water resistant.
94. (Original) The decorative laminate assembly of claim 93, wherein said water resistant substrate comprises polyvinyl chloride.
95. (Original) The decorative laminate assembly of claim 93, wherein said water resistant substrate comprises fiber reinforced cement board.
96. (Currently Amended) A decorative laminate assembly comprising, ~~in order in the following superimposed relationship:~~
- ~~(a) a decorative laminate top layer assembly comprising, in order in a superimposed relationship:~~

(i) a decorative layer comprising a thermosetting resin impregnated cellulosic material,

(ii) a core layer below said decorative layer comprising a polymeric material; and

~~(b) a substrate attached to said decorative laminate top layer assembly, wherein said substrate comprises polyvinyl chloride.~~

97. (Original) The decorative laminate of claim ~~96-105~~, wherein said substrate comprises a first polyvinyl chloride sheet.

98. (Original) The decorative laminate of claim 97, wherein said substrate further comprises a second polyvinyl chloride sheet bonded to said first polyvinyl chloride sheet.

99. (Original) The decorative laminate of claim 98, wherein said first and second polyvinyl chloride sheets comprise a filled polyvinyl chloride.

100. (Original) The decorative laminate of claim 99, wherein said second polyvinyl sheet is less filled than the first polyvinyl sheet.

101. (Original) The decorative laminate of claim 98, wherein said second polyvinyl chloride sheet is bonded to said first polyvinyl chloride sheet with an adhesive.

102. (Original) The decorative laminate of claim ~~96-105~~, wherein said substrate is directly bonded to said decorative laminate top layer assembly.

103. (Currently Amended) The decorative laminate of claim 96, wherein said polymeric material comprises PETG polyethylene terephthalate glycol.

104. (New) The decorative laminate of claim 96, wherein said polymeric material comprises polycyclohexanedimethyl terephthalate glycol.

105 (New) The decorative laminate of claim 96, further comprising a substrate attached to said core layer, wherein said substrate comprises polyvinyl chloride. decorative laminate